

CERTIFICATE OF COMPLIANCE

Certificate Number E467756
Report Reference E467756-20200205
Issue Date 2020-FEBRUARY-05

Issued to: BAYCO PRODUCTS INC
640 SANDEN BLVD
WYLIE TX 75098-4922

**This certificate confirms that
representative samples of**

FLASHLIGHTS AND LANTERNS FOR USE IN
HAZARDOUS LOCATIONS; FLASHLIGHTS AND
LANTERNS FOR USE IN ZONE CLASSIFIED
HAZARDOUS LOCATIONS

See addendum page

Have been investigated by UL in accordance with the
Standard(s) indicated on this Certificate.

Standard(s) for Safety: See addendum page

Additional Information: See the UL Online Certifications Directory at
<https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number E467756
Report Reference E467756-20200205
Issue Date 2020-FEBRUARY-05

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Products

USL, CNL - Model Nightstick XPR-5584, followed by GMX or RMX; intrinsically safe floodlight for use in Class I, Division 1, Groups A, B, C and D; Class II, Division 1 Groups E, F and G; and Class III Hazardous Locations when used with rechargeable Li-ion battery pack Part No. Nightstick 5584-BATT.

USL - Model Nightstick XPR-5584, followed by GMX or RMX; intrinsically safe for use in Class I, Zone 0, AEx ia IIC Hazardous Locations when used with rechargeable Li-ion battery pack Part No. Nightstick 5584-BATT.

CNL - Model Nightstick XPR-5584, followed by GMX or RMX; intrinsically safe for use in Ex ia IIC Hazardous Locations when used with rechargeable Li-ion battery pack Part No. Nightstick 5584-BATT.

Standards

UL 913, Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II, and III, Division 1, Hazardous (Classified) Locations

UL 60079-0, Explosive Atmospheres - Part 0: Equipment - General Requirements

UL 60079-11, Explosive Atmospheres - Part 11: Equipment Protection by Intrinsic Safety 'i'


UL 60079-28, Standard for Explosive Atmospheres - PART 28: Protection of Equipment and Transmission Systems using Optical Radiation

CAN/CSA C22.2 No. 157-92, Rev. 2003-06, Intrinsically Safe and Non-Incendive Equipment for use in Hazardous Locations

CSA C22.2 NO. 60079-0, Explosive Atmospheres — Part 0: Equipment — General Requirements

CAN/CSA C22.2 NO. 60079-11:14, Explosive Atmospheres - Part 11: Equipment Protection by Intrinsic Safety "i"

CSA C22.2 NO. 60079-28, Explosive Atmospheres - Part 28: Protection of Equipment and Transmission Systems using Optical Radiation



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

